



FIG. 1



Author	Year	Country	Sample Size	Study Design	Findings
1. Smith, J.	2015	USA	1000	Quantitative	High correlation between variables X and Y.
2. Jones, A.	2016	UK	500	Qualitative	Insights into the experiences of participants.
3. Brown, C.	2017	Canada	750	Mixed Methods	Comprehensive analysis of the research topic.
4. White, D.	2018	Australia	1200	Quantitative	Significant differences observed across groups.
5. Black, E.	2019	Germany	900	Qualitative	Rich data from in-depth interviews.
6. Green, F.	2020	France	1100	Mixed Methods	Robust findings supported by multiple methods.
7. Grey, G.	2021	India	800	Quantitative	Strong statistical evidence for the hypothesis.
8. White, H.	2022	Japan	600	Qualitative	Valuable cultural context provided.
9. Black, I.	2023	South Africa	1300	Mixed Methods	Thorough exploration of the research area.
10. Brown, K.	2024	Brazil	700	Quantitative	Clear trends identified in the data.

FIG. 2



Ref.	Year	Country	Sample Size	Age Range	Gender	Study Design	Outcome Measure	Results
1	1998	USA	1000	18-25	M	Survey	Prevalence of STIs	15%
2	2000	USA	2000	18-25	F	Survey	Prevalence of STIs	22%
3	2002	USA	1500	18-25	M	Survey	Prevalence of STIs	18%
4	2004	USA	1200	18-25	F	Survey	Prevalence of STIs	20%
5	2006	USA	1800	18-25	M	Survey	Prevalence of STIs	16%
6	2008	USA	2200	18-25	F	Survey	Prevalence of STIs	21%
7	2010	USA	1600	18-25	M	Survey	Prevalence of STIs	17%
8	2012	USA	2000	18-25	F	Survey	Prevalence of STIs	23%
9	2014	USA	1400	18-25	M	Survey	Prevalence of STIs	19%
10	2016	USA	1900	18-25	F	Survey	Prevalence of STIs	24%

FIG. 3




FIG. 4





FIG. 5



202206260001

FIG. 6

